

the latest
2013(5):606-61

dating reveals th
630.1 ± 1.3 Ma
melting of
ysis of th
t pha

upper
nces
ne of inco
ors: T
they had nothing
hibited typ
and.
on U-

scope; t

100%


$^{207}\text{Pb}/^{235}\text{U}$

$^{206}\text{Pb}/^{238}\text{U}$

1


Ta

	Th			U	Th	$^{207}\text{Pb}/^{206}\text{Pb}$			
	/10 ⁶					1	/Ma		1
2009KR015									
1	413	427	0.9			7	628	22	
2	331	418	0.7			10	615	34	
3	127	219	0.5			10	605	34	
4	355	359	0.9			9	652	29	
5	154	168	0.9			14	612	45	
6	377	386	0.98			8	650	27	
7	312	357	0.87			9	653	28	
8	147	169	0.87			13	588	45	
9	167	193	0.87			15	652	48	
10	198	263	0.75			9	646	30	
11	194	208	0.93			11	657	36	
12	388	416	0.93			7	658	23	
13	289	325	0.89			8	655	27	
14	251	309	0.81			9	669	28	
15	136	194	0.70			10	611	34	
16	320	348	0.92			7	646	23	
17	117	168	0.70			13	651	42	
18	242	303	0.80			7	648	23	
19	304	368	0.83			8	658	25	
20	408	428	0.95			7	643	23	
21	995	1404	0.71			6	667	19	
22	258	256	1.01			6	654	52	
23	272	304	0.90			6	644	53	
2009KR016									
1	310	411	0.76	0.0102		7	649	25	
2	172	190	0.91	0.0102		2	644	38	
3	750	834	0.90	0.0102		5	671	17	
4	287	357	0.80	0.0102		7	669	21	
5	434	585	0.74	0.0102		5	650	18	
6	845	788	1.07	0.0102			671	17	
7	102	752	1.36	0.0102			651	17	
8	702	638	1.10	0.0102			638	17	
9	969	849	1.14	0.0102			647	17	
10	782	825	0.95	0.0102			630	17	
11	487	505	0.96	0.0102			634	18	
12	304	304	1.00	0.0102			638	17	
13	304	304	0.70	0.0102			637	18	
14	304	304	0.69	0.01024			654	44	
15	321	321	0.89	0.01026	0.39	0.8653	0.92	664	27
16	304	573	0.92	0.01027	0.39	0.8640	0.95	644	19
17	707	609	1.18	0.01024	0.39	0.8640	0.95	645	20
18	304	558	0.70	0.01025	0.39	0.8621	1.02	640	22
19	227	1709	1.33	0.0102	0.40	0.8671	0.80	630	16
20	304	302	1.02	0.0102	0.39	0.8660	0.85	629	18
21	304	304	1.04	0.0102	0.46	0.8725	0.95	631	19
22	304	220	1.81	0.0102	0.45	0.8680	0.78	630	16
23	304	90	0.95	0.0975	0.45	0.8680	0.78	600	17
24	491	491	1.02	0.029	0.45	0.8680	0.78	631	21





3 (f) diagra



- cratonization of the Tarim Block, NW China: Petrology, geochemistry, Nd- isotopes and U- Pb zircon geochronology from Archean gabbro- TTG- potassic granite suite and Paleoproterozoic metamorphic belt[J]. *Journal of Asian Earth Sciences*, 2012, 47: 5- 20.
- [6]Shu L S, Deng X L, Ma D S, et al. Precambrian tectonic evolution of the Tarim Block, NW China: New geochronological insights from the Quruqtagh domain[J]. *Journal of Asian Earth Sciences*, 2011, 42: 774- 790.
- [7]Zhang C L, Zou H B, Li H K, et al. Tectonic framework and evolution of the Tarim Block, NW China[J]. *Gondwana Research*, 2011, 23:1306- 1315.
- [8]Zhang C L, Li Z X, Li X H, et al. Neoproterozoic mafic dyke swarm in north margin of the Tarim, NW China: age, geochemistry, petrogenesis and tectonic implications[J]. *Journal of Asian Earth Sciences*, 2009, 35: 167- 179.
- [9]Zhang C L, Zou H B, Wang H Y. Multiple phases of the Neoproterozoic igneous activity in Quruqtagh of the northeastern Tarim Block, NW China: Interaction between plate subduction and mantle plume?[J]. *Precambrian Research*, 2011, doi: org/10.1016/j.precamres.2011.08.005.
- [10]Zhu W B, Zhang Z Z, Shu L S, et al. SHRIMP U- Pb zircon geochronology of Neoproterozoic Korla mafic dykes in the northeastern Tarim Block, NW China: implications for the long- lasting breakup process of Rodinia[J]. *Journal of Geology Society, London*, 2008, 165: 887- 890.
- [11]Xu B, Xiao S H, Zou H B, et al. SHRIMP zircon U- Pb age constraints on Neoproterozoic Quruqtagh diamictites in NW China[J]. *Precambrian Research*, 2009, 168: 247- 258.
- [12]Zhu W B, Zhang B H, Shu L S, et al. Geochemistry and SHRIMP U- Pb zircon geochronology of the Korla mafic dykes: Constraints on the Neoproterozoic continental breakup in the Tarim Block, northwest China[J]. *Journal of Asian Earth Sciences*, 2012, <http://dx.doi.org/10.1016/j.jseas.2010.11.018>
- [13]Li Z X, C McA Powell. An outline of the palaeogeographic evolution of the Australasian region since the beginning of the Neoproterozoic[J]. *Earth- Science Reviews*, 2001, 53, 237- 277.
- [14]Long X P, Yuan C, Sun M, et al. Archean crustal evolution of the northern Tarim Craton, NW China: Zircon U- Pb and Hf isotopic constraints[J]. *Precambrian Research*, 2010, 180: 272- 284.
- [15] . LA- MC- ICPMS U- Pb [J]. , 2009, 28:481- 492.